MÕÕTMISLEHT


Valguskatuse mõõtmine

Polükarbonaatkatus – märkige mõõdud millimeetrites

NIMI _____ TELEFON _____ E-POST _____ KUUPÄEV _____

1 VARIANT 1 Kihtplastik


- Roovitus sarikatega samal tasapinnal.
- Plaadid võivad ulatuda üle serva 50 mm.



A	_____ mm	B	_____ mm	C	_____ mm
D	_____ mm	E	_____ mm		

2 VARIANT 2 Laineplaadid

- Roovitus sarikate peal, samm 400 mm.
- Plaadid võivad ulatuda üle serva 50 mm.



A	_____ mm	B	_____ mm	C	_____ mm

ЛИСТ ЗАМЕРОВ

Замер светопрозрачной кровли


Кровля из поликарбоната – укажите размеры в миллиметрах

interbauen

ИМЯ _____ ТЕЛЕФОН _____ ЭЛ. ПОЧТА _____ ДАТА _____

1 ВАРИАНТ 1 — Сотовый поликарбонат


- Обрешётка на одном уровне со стропилами.
- Листы могут выступать за край на 50 мм.



A	_____ mm	B	_____ mm	C	_____ mm
D	_____ mm	E	_____ mm		

2 ВАРИАНТ 2 — Волнистые листы

- Обрешётка поверх стропил, шаг 400 мм.
- Листы могут выступать за край на 50 мм.



A	_____ mm	B	_____ mm	C	_____ mm

Отправьте заполненный лист и фото объекта: info@interbauen.ee

www.interbauen.ee · info@interbauen.ee

MEASUREMENT SHEET


Measuring a polycarbonate roof

Translucent roofing – enter all dimensions in millimetres

NAME _____ PHONE _____ E-MAIL _____ DATE _____

1 OPTION 1 Multiwall polycarbonate


- Battens flush with the rafters.
- Sheets may overhang the edge by 50 mm.



A	_____ mm	B	_____ mm	C	_____ mm
D	_____ mm	E	_____ mm		

2 OPTION 2 Corrugated sheets

- Battens on top of the rafters, 400 mm spacing.
- Sheets may overhang the edge by 50 mm.



A	_____ mm	B	_____ mm	C	_____ mm

Send the completed sheet and a photo of the site to: info@interbauen.ee

www.interbauen.ee · info@interbauen.ee